

VERSAMATIC SOLUTIONS

Elima-Matic® Pumps

EM



VERSAMATIC®

Delivering Quality, Interchangeable Pumping Solutions

- Metallic Pumps
- Non-Metallic Pumps
- High Efficiency
- Special Applications
- Parts & Accessories



VERSAMATIC.COM

Elima-Matic® Pumps

A Complete Line of Pumps that Eliminate Stalling, Icing, Lubing and Blow-by

Revolutionary Technology

Versa-Matic continues to redefine the standard of performance in AODD pumps. The latest enhancements in Elima-Matic technology have focused on greater performance, and lower cost of ownership. The new Elima-Matic offers low cost rebuild options such as a replaceable valve sleeve, and simple refurbishment kits. True to their name, Elima-Matic pumps virtually eliminate pumping problems to keep your operations running smoothly.

Reliable Performance

Elima-Matic pumps are designed to reduce downtime by ensuring continuous, reliable pump performance. In addition to eliminating freezing and stalling, they are self-priming, can handle infinite variable flows up to 90% solids, and are capable of operating as low as one stroke per minute. You'll find our pumps also simplify your maintenance efforts: There's no need for an o-ring tool and the air valve can be accessed without taking the center section apart.

VERSATILE SOLUTIONS

Elima-Matic® pumps are available in a range of plastic and metal materials, in a variety of sizes and with specialty features to meet the needs of specific applications.

Clamped Design

The original AODD design. Provides proven reliability and quick tear-down for repairs.



Bolted Design

Offers a leak-free design for a greater positive seal. Provides the ability to transfer chemicals safely and confidently.



Side Discharge

Prevents fluid from leaking onto the pump's center section and causing corrosion when pumping chemicals.




High Pressure

Used for applications that require up to 200 PSI discharge. The pump provides a 2:1 ratio of discharge-to-inlet pressure.




Split Manifold

Enables one pump to do the job of two separate pumps, offering great cost savings. Flow is directed out of each side using separate manifold discharge elbows instead of one center discharge port.



Groundable Acetal

Allows safe transfer of liquids without the danger of static electricity build-up. The pump passes both the VAN deGRAAF Generator Test and the Unrestricted Flow Test.





Food Processing

Transfers even the most sensitive foods hygienically and without shearing. Also handles abrasive and viscous media solids economically.




Sanitary

Meets stringent 3A sanitary standards. Made of 316 stainless steel with a 32 micro-inch finish on both internal and external surfaces.




Screen Mounting

Pumps mediums containing large solids and can handle semi-solids up to .375" in diameter. The screen-mounted base filters the fluid to prevent larger solids from inhibiting the operation of the pump.



Flap Valve

Handles line-size solids up to 1.125" in diameter without buildup. Gravity gently moves material through the flap valves to avoid degradation.



ATEX Compliant

A complete line of ATEX compliant AODD pumps includes an industry first range of easily distinguishable black polypropylene pumps. Available with a wide range of diaphragm choices to ensure the best compatibility for products pumped in volatile environments.



AirVantage Technology

Reduce air consumption up to 50% while maintaining optimum flow. Complete pumps and drop-in center sections available.



Elima-Matic® Plastic Pump Materials of Construction							
	E6 ¼"	E8 ¾"	E5 ½"	E1 1"	E4 1½"	E2 2"	E3 3"
Clamped Design	●●●						
Bolted Design		●●	●●●	●●	●●	●●	●●
Split Manifold			●●	●●			
Side Discharge			●●		●●		
Groundable Acetal	●		●				
ATEX Compliant			●	●	●	●	


● Polypropylene ● PVDF Kynar® ● Acetal

Elima-Matic® Metallic Pump Materials of Construction							
	E5 ½"	E7 ¾"	E1 1"	E4 1½"	E40 1½"	E2 2"	E3 3"
Clamped Design				●●●●		●●●●	●●●●
Bolted Design	●●●	●	●●●	●●	●●●	●●●●	●●●
Split Manifold						●	
Food Processing			●	●		●	●
Sanitary				●		●	
Flap Valve						●	
Screen Mounted				●		●	●
High Pressure						●	
ATEX Compliant	●●●		●●●	●●●●	●●●●	●●●●	●●●●

● Aluminum ● Cast Iron ● Hastelloy C ● Stainless Steel

Elima-Matic® Interchangeable Air Valve Kits

Elima-Matic technology is available in upgrade kits for Wilden® 1-1/2", 2" and 3" clamp band pumps. Air sections are available in aluminum, stainless steel or PTFE-coated. (Air chambers, air valve and center block can be nickel-plated for diverse applications.)



Parts and Accessories

Versa-Matic offers the most extensive line of diaphragms in the industry, including:


Versa-Rugged VR™ Diaphragms

Our standard rubber diaphragms are reinforced with high-quality fabric and designed to reduce maintenance and repair costs. They are interchangeable with many Wilden® pump models.



Versa-Dome® Diaphragms

An industry first, Versa-Dome's simple, smooth dome shape delivers flex across the entire face of the diaphragm to provide three times the life of standard diaphragms. They are interchangeable with most Wilden® 2" & 3" pump models.



FDA Hytrel® Thermoplastic Diaphragms

Approved for use with food and dairy mediums, FDA Hytrel diaphragms are also excellent for abrasive product transfer.



TPE-XL Thermoplastic Diaphragms

Versa-Matic's innovative thermoplastic diaphragms have much of the chemical resistance of PTFE but cost significantly less. They are extremely resistant to abrasion and are interchangeable with most Wilden® pump models.



FUSION™ Integrated-Plate Bonded PTFE Diaphragms

FUSION diaphragms enhance flow rates, displacement per cycle and suction lift. Backing ribs allow for extended life and deflection ridges eliminate radial cracking and potential leak paths.



Versa-Matic's product line includes a variety of pump accessories to enhance your pump performance:


Surge Suppressors

Our surge suppressors provide virtually pulse-free discharge flow, for steadier pressure and less system vibration and noise. Self-charging and self-venting.



Pail and Drum Transfer Kits

These adapter kits easily connect 1/4" or 1/2" plastic pumps to a 5-gallon bucket, 120 lb. barrel or 55-gallon drum for a cleaner application.



Versa-Sense™ II Leak Detector

The Versa-Sense II protects product from contamination in the event of a diaphragm failure. The control unit can easily be wired to an audible alarm or pump shutdown device.



VERSAMATIC®
GENUINE PARTS

**Repair it Once,
Repair it Right**

Learn more at
versamatic.com




Flange Adapter Kits

Our new Flange Adapter Kits allow you to quickly, easily and economically convert your flange pumps to female-threaded pumps. The kits are available in three sizes for use with 1", 1-1/2" and 2" non-metallic polypropylene pumps.



Filter/Regulator/Lubricators

FRLs improve pump performance and reduce maintenance costs. Used to filter particles and water out of the compressed air coming into the pump, as well as control the air pressure. Also controls lubrication amounts to optimize pump performance.



Hytrel® is a registered trademarks of DuPont. Kynar® is a registered trademark of Penwalt Corp. Wilden® is a registered trade name of Wilden Pump and Engineering Company, a Dover Resources Company.

Elima-Matic®, Fusion™, Versa-Dome®, Versa-Matic®, Versa-Sense™, Versa-Tuff® and Versa-Rugged VR™ are registered trade-names and trademarks of IDEX Corporation. Elima-Matic U.S. Patent No. 5,326,234.



VERSAMATIC®
Warren Rupp, Inc.
A Unit of IDEX Corporation
800 North Main Street
Mansfield, OH 44902 USA

Phone: 419.526.7296

Fax: 419.526.7289

www.versamatic.com



Distributed By: